

**Auramine stock solution**

Print date: 01.09.2015

Product code: 2C-277

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Auramine stock solution

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Use as laboratory reagent

**1.3. Details of the supplier of the safety data sheet**

Company name:	Waldeck GmbH & Co KG	
	Division Chroma	
Street:	Havixbecker Str. 62	
Place:	D-48161 Münster	
Post-office box:	410180	
	D-48065 Münster	
Telephone:	+49(0)180/2247662	Telefax: +49(0)180/1247662
Responsible Department:	Labor	
	Mo. – Do.: 08.00 – 17.00 Uhr, Fr.: 08.00 – 15.00 Uhr	
<b>1.4. Emergency telephone number:</b>	+49(0)180/2247662	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 3

Acute toxicity: Acute Tox. 2

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Germ cell mutagenicity: Muta. 2

Carcinogenicity: Carc. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful if swallowed.

Toxic in contact with skin.

Causes severe skin burns and eye damage.

Fatal if inhaled.

Suspected of causing genetic defects.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazardous components which must be listed on the label**

phenol

Auramine O

**Signal word:** Danger



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Auramine stock solution

Print date: 01.09.2015

Product code: 2C-277

Page 2 of 10

### Pictograms:



### Hazard statements

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

### Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
108-95-2	phenol			95 - < 100 %
	203-632-7	604-001-00-2		
	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT RE 2, Skin Corr. 1B; H341 H331 H311 H301 H373 ** H314			
2465-27-2	Auramine O			1 - < 5 %
	219-567-2			
	Carc. 2, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 2; H351 H302 H319 H411			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Auramine stock solution**

Print date: 01.09.2015

Product code: 2C-277

Page 3 of 10

mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

Combustible liquid. Vapours can form explosive mixtures with air. In case of fire may be liberated: Hazardous combustion products.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Auramine stock solution**

Print date: 01.09.2015

Product code: 2C-277

Page 4 of 10

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

**Advice on storage compatibility**

No special measures are necessary.

**7.3. Specific end use(s)**

Use as laboratory reagent

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
108-95-2	Phenol	2	7.8		TWA (8 h)	WEL
		4	16		STEL (15 min)	WEL

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	dark violet
Odour:	characteristic

**Test method**



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Auramine stock solution

Print date: 01.09.2015

Product code: 2C-277

Page 5 of 10

pH-Value: not determined

### Changes in the physical state

Melting point: ~ 40,8 °C

Initial boiling point and boiling range: 182 °C

Flash point: 82 °C

### Flammability

Solid: not applicable

Gas: not applicable

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: 595 °C

### Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

### Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density (at 20 °C): ~ 1,06 g/cm³

Water solubility: easily soluble

### Solubility in other solvents

not determined

Partition coefficient: 1,46

Vapour density: not determined

Evaporation rate: not determined

## 9.2. Other information

Solid content: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information



## Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Auramine stock solution

Print date: 01.09.2015

Product code: 2C-277

Page 6 of 10

**11.1. Information on toxicological effects****Acute toxicity**

Harmful if swallowed.  
Toxic in contact with skin.  
Fatal if inhaled.

**ATEmix calculated**

ATE (oral) 327,0 mg/kg; ATE (dermal) 687,5 mg/kg; ATE (inhalative vapour) 3,13 mg/l; ATE (inhalative aerosol) 0,329 mg/l

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
108-95-2	phenol				
	oral	LD50	317 mg/kg	Rat	
	dermal	LD50	660 mg/kg	Rat	OECD 402
	inhalative vapour	ATE	3 mg/l		
	inhalative (4 h) aerosol	LC50	0,316 mg/l	Rat	
2465-27-2	Auramine O				
	oral	LD50	1000 mg/kg	Rat	

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**Severe effects after repeated or prolonged exposure**

May cause damage to organs through prolonged or repeated exposure. (phenol)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of causing genetic defects. (phenol)

Suspected of causing cancer. (Auramine O)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

This mixture is classified as hazardous according to 1999/45/EC. Special hazards arising from the substance or mixture!

**SECTION 12: Ecological information****12.1. Toxicity**

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
108-95-2	phenol					
	Acute fish toxicity	LC50	5,0 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	229 mg/l	72 h		GESTIS
	Fish toxicity	NOEC	4 mg/l	14 d	Poecilia reticulata (Guppy)	OECD 204
	Acute bacteria toxicity		(766 mg/l)			

**12.2. Persistence and degradability**

**Auramine stock solution**

Print date: 01.09.2015

Product code: 2C-277

Page 7 of 10

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
108-95-2	phenol			
	Persistence and degradability	85 %	14	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F
	Readily biodegradable (according to OECD criteria).			

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
108-95-2	phenol	1,47
2465-27-2	Auramine O	2,98

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.


**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 2821
<b>14.2. UN proper shipping name:</b>	PHENOL SOLUTION
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
	
Classification code:	T1
Limited quantity:	100 mL
Excepted quantity:	E4
Transport category:	2
Hazard No:	60



## Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Auramine stock solution

Print date: 01.09.2015

Product code: 2C-277

Page 8 of 10

Tunnel restriction code:

D/E

**Inland waterways transport (ADN)****14.1. UN number:**

UN 2821

**14.2. UN proper shipping name:**

PHENOL SOLUTION

**14.3. Transport hazard class(es):**

6.1

**14.4. Packing group:**

II

Hazard label:

6.1



Classification code:

T1

Special Provisions:

802

Limited quantity:

100 mL

Excepted quantity:

E4

**Marine transport (IMDG)****14.1. UN number:**

UN 2821

**14.2. UN proper shipping name:**

PHENOL SOLUTION

**14.3. Transport hazard class(es):**

6.1

**14.4. Packing group:**

II

Hazard label:

6.1



Special Provisions:

-

Limited quantity:

100 mL

Excepted quantity:

E4

EmS:

F-A, S-A

**Air transport (ICAO)****14.1. UN number:**

UN 2821

**14.2. UN proper shipping name:**

PHENOL SOLUTION

**14.3. Transport hazard class(es):**

6.1

**14.4. Packing group:**

II

Hazard label:

6.1



Special Provisions:

A3

Limited quantity Passenger:

1 L

Passenger LQ:

Y641

Excepted quantity:

E4

IATA-packing instructions - Passenger:

654

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

662

IATA-max. quantity - Cargo:

60 L

**14.6. Special precautions for user**

No information available.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Auramine stock solution**

Print date: 01.09.2015

Product code: 2C-277

Page 9 of 10

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 96 % (1017,6 g/l)

2004/42/EC (VOC): 96 % (1017,6 g/l)

**Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

**National regulatory information**

Employment restrictions: Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

Water contaminating class (D): 2 - water contaminating

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



## Safety Data Sheet

according to Regulation (EC) No 1907/2006



### Auramine stock solution

Print date: 01.09.2015

Product code: 2C-277

Page 10 of 10

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*