



according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Carbolic gentian violet solution (Gram)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Use as laboratory reagent

# 1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG

Division Chroma

Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. – Do.: 08.00 – 17.00 Uhr, Fr.: 08.00 – 15.00 Uhr

1.4. Emergency telephone

+49(0)180/2247662

number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Hazard Statements:

Highly flammable liquid and vapour.

### 2.2. Label elements

## **Regulation (EC) No. 1272/2008**

Signal word: Danger

Pictograms:



#### **Hazard statements**

H225 Highly flammable liquid and vapour.

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P370+P378 In case of fire: Use In case of fire, use sand, extinguishing powder or alcohol resistant

foam. to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

No information available.





according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 2 of 9

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulati	ion (EC) No. 1272/2008 [CLP]	•			
64-17-5	ethanol, ethyl alcohol					
	200-578-6					
	Flam. Liq. 2; H225					
108-95-2	Phenol, liquid					
	203-632-7					
	Muta. 2, Acute Tox. 3, Acute Tox. 3 H331 H314 H373	, Acute Tox. 3, Skin Corr. 1B, STOT F	RE 2; H341 H301 H311			
8004-87-3	Methyl violet					
	208-953-6					
	Carc. 2, Acute Tox. 4, Aquatic Acute 1 (M-Factor = 10); H351 H302 H400					

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air.

# After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.





according to Regulation (EC) No 1907/2006

## Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 3 of 9

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

### 7.3. Specific end use(s)

Use as laboratory reagent

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
108-95-2	Phenol	2	7.8		TWA (8 h)	WEL
		4	16		STEL (15 min)	WEL





according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 4 of 9

### **PNEC** values

CAS No	Substance	
Environmental compartment Value		Value
64-17-5	ethanol, ethyl alcohol	

### 8.2. Exposure controls







### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: blue violet
Odour: Phenol

Test method

pH-Value (at 20 °C): 6,1-7

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: > 65 °C Flash point: 18 °C

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: 5,5 vol. %
Upper explosion limits: 44 vol. %
Ignition temperature: 400 °C

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable





according to Regulation (EC) No 1907/2006

## Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 5 of 9

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: 58 hPa

(at 20 °C)

Vapour pressure: 293 hPa

(at 50 °C)

Density (at 20 °C): 0,99 g/cm³
Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable, Ignition hazard.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 6 of 9

CAS No	Chemical name							
	Exposure routes	Method	Dose	Species	Source			
64-17-5	ethanol, ethyl alcohol							
	oral	LD50	6200 mg/kg	Rat	IUCLID			
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS			
108-95-2	Phenol, liquid							
	oral	LD50	317 mg/kg	Rat				
	dermal	LD50	669 mg/kg	Rat				
	inhalative vapour	ATE	3 mg/l					
	inhalative aerosol	ATE	0,5 mg/l					
8004-87-3	Methyl violet							
	oral	LD50	413 mg/kg	Rat	GESTIS			

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64-17-5	ethanol, ethyl alcohol					
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID
8004-87-3	Methyl violet					
	Acute fish toxicity	LC50	0,047 mg/l		Pimephales promelas (fathead minnow)	GESTIS

## 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31





according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 7 of 9

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. ethanol, ethyl alcohol

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1

Special Provisions: 274 601 640E

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

**14.1. UN number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. ethanol, ethyl alcohol

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1

Special Provisions: 274 601 640E

Limited quantity: 5 L





according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 8 of 9

Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. ethanol, ethyl alcohol

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 223, 274, 955

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-E

Air transport (ICAO)

**14.1. UN number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. ethanol, ethyl alcohol

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

10 L

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

# 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

2010/75/EU (VOC): 20 % (198 g/l) 2004/42/EC (VOC): 20 % (198 g/l)

### **Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## **National regulatory information**

Employment restrictions: Observe employment restrictions for young people.





according to Regulation (EC) No 1907/2006

# Carbolic gentian violet solution (Gram)

Print date: 11.08.2015 Product code: 2E-028 Page 9 of 9

Water contaminating class (D): 2 - water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

	or otation (name or and ton)
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)