



according to Regulation (EC) No 1907/2006

# Papanicolaou Color Solution EA 50

Revision date: 29.03.2017 Product code: 2E-062\_2E-064 Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Papanicolaou Color Solution EA 50

#### Further trade names

2E-062 Papanicolaou Solution EA36 (Papanicolaou, Färbelösung EA36) 2E-064 Papanicolaou Solution EA50 (Papanicolaou, Färbelösung EA50)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent

#### 1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG

Division Chroma

Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

**1.4. Emergency telephone** +49(0)180/2247662

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3

Specific target organ toxicity - single exposure: STOT SE 1

Hazard Statements:

Highly flammable liquid and vapour.

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

Causes damage to organs.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

#### Hazard components for labelling

methanol

Signal word: Danger

Pictograms:







#### **Hazard statements**

H225 Highly flammable liquid and vapour.





according to Regulation (EC) No 1907/2006

## Papanicolaou Color Solution EA 50

H301 Toxic if swallowed.

H311+H331 Toxic in contact with skin or if inhaled.

H370 Causes damage to organs.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P330 Rinse mouth.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P312 Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
64-17-5	ethanol, ethyl alcohol					
	200-578-6	603-002-00-5				
	Flam. Liq. 2; H225					
67-56-1	methanol					
	200-659-6					
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H301 H311 H331 H370					

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

## After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.





according to Regulation (EC) No 1907/2006

## Papanicolaou Color Solution EA 50

Revision date: 29.03.2017 Product code: 2E-062\_2E-064 Page 3 of 9

## After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Narcotic effects, Drowsiness, Dizziness, Agitation, Inebriation, Headache, Impairment of vision, Risk of blindness after swallowing the product.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

## 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.





according to Regulation (EC) No 1907/2006

## Papanicolaou Color Solution EA 50

## Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## Further information on storage conditions

storage temperature: at room temperature

#### 7.3. Specific end use(s)

Use as laboratory reagent

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

#### 8.2. Exposure controls







### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: green
Odour: characteristic





according to Regulation (EC) No 1907/2006

# Papanicolaou Color Solution EA 50

Test method

pH-Value: This information is not available.

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

78 °C

Flash point:

12 °C

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: 3,5 vol. %
Upper explosion limits: 15 vol. %
Ignition temperature: 400 °C

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: 58 hPa

(at 20 °C)

Vapour pressure: 293 hPa

(at 50 °C)

Density (at 20 °C): 0,84 g/cm³
Water solubility: easily soluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined Solvent content: 56,00 %

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.





according to Regulation (EC) No 1907/2006

# **Papanicolaou Color Solution EA 50**

Revision date: 29.03.2017 Product code: 2E-062\_2E-064 Page 6 of 9

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **ATEmix** calculated

ATE (oral) 263,2 mg/kg; ATE (dermal) 789,5 mg/kg; ATE (inhalative vapour) 7,89 mg/l; ATE (inhalative aerosol) 1,316 mg/l

## **Acute toxicity**

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64-17-5	ethanol, ethyl alcohol							
	oral	LD50 mg/kg	6200	Rat	IUCLID			
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS			
67-56-1	methanol							
	oral	LD50 mg/kg	5628	Rat				
	dermal	LD50 mg/kg	17100	Rabbit				
	inhalative (4 h) vapour	LC50 mg/l	85,26	Rat	Irritation to respiratory tract			
	inhalative aerosol	ATE	0,5 mg/l					

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

The product is not become.								
CAS No	Chemical name							
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method		
64-17-5	ethanol, ethyl alcohol							
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID			
67-56-1	methanol							
	Acute fish toxicity	LC50 15400 mg/l	I	Lepomis macrochirus (Bluegill)				
	Acute crustacea toxicity	EC50 >10000 mg/l		Daphnia magna (Big water flea)				
	Acute bacteria toxicity	(6600 mg/l)						

### 12.2. Persistence and degradability

The product has not been tested.





according to Regulation (EC) No 1907/2006

# Papanicolaou Color Solution EA 50

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
67-56-1	methanol					
	OECD 301D/ EEC 92/69/V, C.4-E	99 %	30			
	Readily biodegradable (according to OECD criteria).					

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
67-56-1	methanol	-0,77

#### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (enth. Ethanol, Methanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Classification code: FT1
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 336
Tunnel restriction code: D/E





according to Regulation (EC) No 1907/2006

# **Papanicolaou Color Solution EA 50**

## Inland waterways transport (ADN)

**14.1. UN number:** UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (enth. Ethanol, Methanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Classification code: FT1
Special Provisions: 274 802
Limited quantity: 1 L
Excepted quantity: E2

### Marine transport (IMDG)

**14.1. UN number:** UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (cont. Ethanol, Methanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (cont. Ethanol, Methanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

1 L

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

## 14.6. Special precautions for user

Warning: Combustible liquid. Toxic.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable





according to Regulation (EC) No 1907/2006

# Papanicolaou Color Solution EA 50

Revision date: 29.03.2017 Product code: 2E-062 2E-064 Page 9 of 9

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2010/75/EU (VOC): 56 % (476 g/l) 2004/42/EC (VOC): 56 % (476 g/l)

#### **Additional information**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## **National regulatory information**

Observe restrictions to employment for juvenils according to the 'juvenile **Employment restrictions:** 

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

2 - water contaminating Water contaminating class (D):

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

Highly flammable liquid and vapour. H225

H301 Toxic if swallowed. H311 Toxic in contact with skin.

H311+H331 Toxic in contact with skin or if inhaled.

H331 Toxic if inhaled.

H370 Causes damage to organs.

### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)