



according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Page 1 of 10 Print date: 08.06.2015 Product code: 2F-308

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Papanicolaou-solution 3A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG

Division Chroma

Street: Havixbecker Str. 62 Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telefax: +49(0)180/1247662 Telephone: +49(0)180/2247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

1.4. Emergency telephone +49(0)180/2247662

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: T - Toxic, Xn - Harmful

R phrases:

Harmful by inhalation, in contact with skin and if swallowed.

Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if

swallowed.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 1

Hazard Statements:

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation. Suspected of causing cancer. Causes damage to organs.

2.2. Label elements

Hazardous components which must be listed on the label

methanol

Light Green Sf Yellowish Lithium carbonate

Signal word: Danger

Pictograms: **GHS07-GHS08**





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 2 of 10





Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H370 Causes damage to organs.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 3 of 10

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-578-6	ethanol, ethyl alcohol	60 - < 65 %
64-17-5	F - Highly flammable R11	
	Flam. Liq. 2; H225	
200-659-6	methanol	10 - < 15 %
67-56-1	F - Highly flammable, T - Toxic R11-23/24/25-39/23/24/25	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H301 H311 H331 H370	
225-906-5	Light Green Sf Yellowish	1 - < 5 %
5141-20-8		
	Carc. 2; H351	
241-409-6	Eosin Y	1 - < 5 %
17372-87-1		
	Eye Irrit. 2; H319	
215-682-7	Phosphotungstic acid	1 - < 5 %
12501-23-4		
	Skin Corr. 1B; H314	

Full text of R, H and EUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 4 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 5 of 10

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

PNEC values

CAS No	Substance			
Environmental of	compartment	Value		
64-17-5	ethanol, ethyl alcohol			

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: green violet
Odour: Ethanol

Test method

pH-Value (at 20 °C): 5,2

Changes in the physical state





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 6 of 10

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not determined

Flammability

Solid: not applicable
Gas: not applicable

Lower explosion limits: not determined Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density (at 20 °C): 0,82 g/cm³

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed or if inhaled.





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 7 of 10

ATEmix calculated

ATE (oral) 702,5 mg/kg; ATE (inhalative aerosol) 3,568 mg/l

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
64-17-5	ethanol, ethyl alcohol						
	oral	LD50	6200 mg/kg	Rat	IUCLID		
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS		
67-56-1	methanol						
	oral	LD50	5630 mg/kg	Rat			
	dermal	LD50	15800 mg/kg	Rabbit			
	inhalative vapour	ATE	3 mg/l				
	inhalative aerosol	ATE	0,5 mg/l				
5141-20-8	Light Green Sf Yellowish						
	oral	LD50	2000 mg/kg	Rat	RTECS		
17372-87-1	Eosin Y						
	oral	LD50	2000 mg/kg	Rat			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Light Green Sf Yellowish)

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source		
64-17-5	ethanol, ethyl alcohol							
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.





according to Regulation (EC) No 1907/2006

	Papanicolaou-solution 3A	
Print date: 08.06.2015	Product code: 2E-308	Page 8 of 10

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
17372-87-1	Eosin Y	4,8

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Ethanol)

14.3. Transport hazard class(es): 3
14.4. Packing group: II

Hazard label: 3+6.1



Classification code: FT1
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 336
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Ethanol)

14.3. Transport hazard class(es): 3
14.4. Packing group:

Hazard label: 3+6.1





according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 9 of 10



Classification code: FT1
Special Provisions: 274 802
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Ethanol)

14.3. Transport hazard class(es): 3
14.4. Packing group: ||

Hazard label: 3+6.1



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO)

14.1. UN number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Ethanol)

14.3. Transport hazard class(es): 3
14.4. Packing group: |

Hazard label: 3+6.1



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

1 L

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger: 352
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 76 % (623,2 g/l)

Waldeck GmbH & Co KG



Safety Data Sheet



according to Regulation (EC) No 1907/2006

Papanicolaou-solution 3A

Print date: 08.06.2015 Product code: 2E-308 Page 10 of 10

2004/42/EC (VOC): 76 % (623,2 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 2 - water contaminating

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant R-phrases (Number and full text)

11 Highly flammable.

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if

swallowed.

Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H351 Suspected of causing cancer. H370 Causes damage to organs.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)