



according to Regulation (EC) No 1907/2006

### Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Zinc chloride iodine solution. DAB

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Use as laboratory reagent

# 1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG

Division Chroma
Havixbecker Str. 62

Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

+49(0)180/2247662

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. – Do.: 08.00 – 17.00 Uhr, Fr.: 08.00 – 15.00 Uhr

1.4. Emergency telephone

number:

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:
Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

# Hazard components for labelling

zinc chloride

Signal word: Danger

Pictograms:







## **Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.





according to Regulation (EC) No 1907/2006

## Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 2 of 9

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Hazardous components

| CAS No    | Chemical name   |                             |          |  |  |
|-----------|---|-----------------------------|----------|--|--|
|           | EC No   | Index No                    | REACH No |  |  |
|           | Classification according to Regulati  | on (EC) No. 1272/2008 [CLP] | •        |  |  |
| 7646-85-7 | zinc chloride   |                             |          |  |  |
|           | 231-592-0   | 030-003-00-2                |          |  |  |
|           | Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1; H302 H314 H400 H410 |                             |          |  |  |
| 7681-11-0 | Potassium iodide p.A.   |                             |          |  |  |
|           | 231-659-4   |                             |          |  |  |
|           | Acute Tox. 4, Skin Irrit. 2, Eye Irrit.   | 2; H302 H315 H319           |          |  |  |
| 7553-56-2 | iodine  |                             |          |  |  |
|           | 231-442-4   | 053-001-00-3                |          |  |  |
|           | Acute Tox. 4, Acute Tox. 4, Aquatic Acute 1 (M-Factor = 1); H332 H312 H400                          |                             |          |  |  |

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be

#### Waldeck GmbH & Co KG



## Safety Data Sheet



according to Regulation (EC) No 1907/2006

## Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 3 of 9

drunk.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Hazardous combustion products

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

# Advice on storage compatibility

No special measures are necessary.

## 7.3. Specific end use(s)

Use as laboratory reagent





according to Regulation (EC) No 1907/2006

## Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 4 of 9

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

| CAS No    | Substance           | ppm | mg/m³ | fibres/ml | Category      | Origin |
|-----------|---------------------|-----|-------|-----------|---------------|--------|
| 7553-56-2 | lodine              | -   | -     |           | TWA (8 h)     | WEL    |
|           |                     | 0.1 | 1.1   |           | STEL (15 min) | WEL    |
| 7646-85-7 | Zinc chloride, fume | -   | 1     |           | TWA (8 h)     | WEL    |
|           |                     | -   | 2     |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Eye/face protection

Suitable eye protection: goggles.

# **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: light yellow-brown Odour: characteristic

Test method

pH-Value (at 20 °C): 3,78

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
not determined
Flash point:
not determined
not determined





according to Regulation (EC) No 1907/2006

| Zinc chloride iodine solution | on. DAE | AB |
|-------------------------------|---------|----|
|-------------------------------|---------|----|

Print date: 20.07.2016 Product code: 3D-059 Page 5 of 9

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined

Upper explosion limits:

not determined
not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: not determined

Density (at 20 °C): 1,15 g/cm³

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Harmful if swallowed.

## **ATEmix calculated**

ATE (oral) 1166,7 mg/kg





according to Regulation (EC) No 1907/2006

# Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 6 of 9

| CAS No    | Chemical name         |      |             |         |        |
|-----------|-----------------------|------|-------------|---------|--------|
|           | Exposure route        | Dose |             | Species | Source |
| 7646-85-7 | zinc chloride         |      |             |         |        |
|           | oral                  | LD50 | 350 mg/kg   | Rat     | RTECS  |
| 7681-11-0 | Potassium iodide p.A. |      |             |         |        |
|           | oral                  | LD50 | 2779 mg/kg  | Rat     |        |
| 7553-56-2 | iodine                |      |             |         |        |
|           | oral                  | LD50 | 14000 mg/kg | Rat     | RTECS  |
|           | dermal                | ATE  | 1100 mg/kg  |         |        |
|           | inhalative vapour     | ATE  | 11 mg/l     |         |        |
|           | inhalative aerosol    | ATE  | 1,5 mg/l    |         |        |

### Irritation and corrosivity

Causes severe skin burns and eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| CAS No    | Chemical name            |      |           |           |                      |                 |
|-----------|--------------------------|------|-----------|-----------|----------------------|-----------------|
|           | Aquatic toxicity         | Dose |           | [h]   [d] | Species              | Source          |
| 7646-85-7 | zinc chloride            |      |           |           |                      |                 |
|           | Acute fish toxicity      | LC50 | 38 mg/l   | 96 h      | Danio rerio          | IUCLID          |
|           | Acute crustacea toxicity | EC50 | 0,33 mg/l | 48 h      | Daphnia magna        | IUCLID          |
| 7553-56-2 | iodine                   |      |           |           |                      |                 |
|           | Acute fish toxicity      | LC50 | 0,53 mg/l | 96 h      | Onchorhynchus mykiss | ECOTOX Database |
|           | Acute crustacea toxicity | EC50 | 1,63 mg/l | 48 h      | Daphnia magna        | ECOTOX Database |

## 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

| CAS No    | Chemical name | Log Pow |
|-----------|---------------|---------|
| 7553-56-2 | iodine        | 2,49    |





according to Regulation (EC) No 1907/2006

### Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 7 of 9

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C1
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

### Inland waterways transport (ADN)

**14.1. UN number:** UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C1
Limited quantity: 5 L
Excepted quantity: E1

### Marine transport (IMDG)





according to Regulation (EC) No 1907/2006

## Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 8 of 9

**14.1. UN number:** UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

P

223

5 L

E1

EnS:

F-A, S-B

Air transport (ICAO)

**14.1. UN number:** UN 1840

14.2. UN proper shipping name: ZINC CHLORIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

## 14.6. Special precautions for user

Warning: strongly corrosive.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

#### Additional information

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 3 - highly water contaminating





according to Regulation (EC) No 1907/2006

## Zinc chloride iodine solution, DAB

Print date: 20.07.2016 Product code: 3D-059 Page 9 of 9

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed.                                 |
|------|---|
| H312 | Harmful in contact with skin.                         |
| H314 | Causes severe skin burns and eye damage.              |
| H315 | Causes skin irritation.                               |
| H319 | Causes serious eye irritation.                        |
| H332 | Harmful if inhaled.                                   |
| H335 | May cause respiratory irritation.                     |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)