CXRO44

Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cover glass varnish, white

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG

Division Chroma
Havixbecker Str. 62

Street: Havixbecker Str. 6:
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

1.4. Emergency telephone +49(0)180/2247662

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Respiratory or skin sensitisation: Skin Sens. 1A

Germ cell mutagenicity: Muta. 1B Carcinogenicity: Carc. 1B

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Flammable liquid and vapour. May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

2-Ethylhexanoic acid, zirconium salt

Signal word: Danger

Pictograms:







Hazard statements

H226 Flammable liquid and vapour.H317 May cause an allergic skin reaction.

H340 May cause genetic defects.



Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

0	-1		
Cover	giass	varnish,	wnite

Revision date: 15.05.2017 Product code: 3F-015 Page 2 of 9

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

EUH208 Contains Kohlenwasserstoffe, C9-C11, n-Alkane, isoalkane, < 2% Aromaten. May produce

an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

Chemical name			Quantity
EC No	Index No	REACH No	
Classification according to Regulati	on (EC) No. 1272/2008 [CLP]	•	
Naphtha (petroleum), hydrotreated	heavy; Low boiling point hydrogen tre	eated naphtha	25 - < 30 %
265-150-3	649-327-00-6		
Carc. 1B, Muta. 1B, Asp. Tox. 1; H3	50 H340 H304		
26-7 Butylacrylat homopolymer			< 1 %
Skin Irrit. 2, Eye Dam. 1, Aquatic Ad	cute 1, Aquatic Chronic 1; H315 H318	8 H400 H410	
2-Ethylhexanoic acid, zirconium sal	t		< 1 %
245-018-1			
Repr. 2, Skin Irrit. 2, Skin Sens. 1A	H361d H315 H317		
	EC No Classification according to Regulating Naphtha (petroleum), hydrotreated 265-150-3 Carc. 1B, Muta. 1B, Asp. Tox. 1; H3 Butylacrylat homopolymer Skin Irrit. 2, Eye Dam. 1, Aquatic According 1245-018-1	EC No Index No Classification according to Regulation (EC) No. 1272/2008 [CLP] Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen tr 265-150-3 649-327-00-6 Carc. 1B, Muta. 1B, Asp. Tox. 1; H350 H340 H304 Butylacrylat homopolymer Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H315 H318 2-Ethylhexanoic acid, zirconium salt	EC No Index No REACH No Classification according to Regulation (EC) No. 1272/2008 [CLP] Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha 265-150-3 649-327-00-6 Carc. 1B, Muta. 1B, Asp. Tox. 1; H350 H340 H304 Butylacrylat homopolymer Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H315 H318 H400 H410 2-Ethylhexanoic acid, zirconium salt 245-018-1

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

CYRO44

Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 3 of 9

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Strong water jet.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

In case of fire may be liberated: Hazardous combustion products

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

CAROLA PARTIES OF THE PARTIES OF THE

Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

storage temperature: at room temperature

7.3. Specific end use(s)

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: white

Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

CYRO44

Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 5 of 9

Melting point: not determined

Initial boiling point and boiling range: 144 °C DIN 53171

Flash point: 27 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: 0,6 vol. %

Upper explosion limits: 14 vol. %

Auto-ignition temperature

Solid: 207 °C Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density (at 20 °C): 1,09 g/cm³

Water solubility: insoluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient:

Vapour density:

Evaporation rate:

Solvent separation test:

not determined
not determined

**contact the separation test to the separa

9.2. Other information

Solid content: 74 Gew-%

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAROAL PARTY

Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 6 of 9

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1263
14.2. UN proper shipping name:	Paint
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3



Classification code: F1

Special Provisions: 163 367 650

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1263

CXRO4

Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover	glass	varnish,	white
	9.400		

Revision date: 15.05.2017 Product code: 3F-015 Page 7 of 9

14.2. UN proper shipping name:Paint14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1

Special Provisions: 163 367 650

Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number:UN 126314.2. UN proper shipping name:Paint14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 163, 223, 367, 955

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 126314.2. UN proper shipping name:Paint14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: A3 A72 A192

Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information



Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 8 of 9

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 29: Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

Additional information

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 3 - highly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Sens. 1A; H317	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1B; H350	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H340	May cause genetic defects.
H350	May cause cancer.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects



Waldeck GmbH & Co KG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Cover glass varnish, white

Revision date: 15.05.2017 Product code: 3F-015 Page 9 of 9

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Kohlenwasserstoffe, C9-C11, n-Alkane, isoalkane, < 2% Aromaten. May produce

an allergic reaction.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)