WALDECK

according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG
Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

1.4. Emergency telephone +49(0)180/2247662

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1

Germ cell mutagenicity: Muta. 2 Carcinogenicity: Carc. 1B

Specific target organ toxicity - single exposure: STOT SE 2

Hazard Statements: Harmful if swallowed.

May cause an allergic skin reaction. Suspected of causing genetic defects.

May cause cancer.

May cause damage to organs.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Formaldehyde 37 %

methanol

Signal word: Danger

Pictograms:





Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.

H350 May cause cancer.



according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 2 of 9

H371 May cause damage to organs.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification according to Regulati	ion (EC) No. 1272/2008 [CLP]	•	
50-00-0	Formaldehyde 37 %			1 - < 5 %
	200-001-8	605-001-00-5		
	Carc. 1B, Muta. 2, Acute Tox. 3, Ac H341 H301 H311 H331 H314 H317	eute Tox. 3, Acute Tox. 3, Skin Corr. 1	B, Skin Sens. 1; H350	
67-56-1	6-1 methanol			1 - < 5 %
	200-659-6			
	Flam. Liq. 2, Acute Tox. 3, Acute To	5 H301 H311 H331 H370		
7778-77-0	Potassium dihydrogen phosphate			1 - < 5 %
	231-913-4			
7647-01-0	hydrogen chloride		< 0.1 %	
	231-595-7	017-002-00-2		
	Acute Tox. 3, Skin Corr. 1A; H331 H	H314		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not

WALDECK

according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 3 of 9

unconscious. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Hazardous combustion products

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

storage temperature: at room temperature

7.3. Specific end use(s)

WALDECK

according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 4 of 9

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: Formaldehyde

Test method

pH-Value (at 20 °C): 3,5

Changes in the physical state



according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 5 of 9

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not determined

Flammability

Solid: not applicable
Gas: not applicable

Lower explosion limits:

Upper explosion limits:

not determined

not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density: not determined

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (oral) 1428,6 mg/kg



according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 6 of 9

Acute toxicity

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
50-00-0	Formaldehyde 37 %							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	300					
	inhalative vapour	ATE	3 mg/l					
	inhalative aerosol	ATE	0,5 mg/l					
67-56-1	methanol							
	oral	LD50 mg/kg	5628	Rat				
	dermal	LD50 mg/kg	17100	Rabbit				
	inhalative (4 h) vapour	LC50 mg/l	85,26	Rat	Irritation to respiratory tract			
	inhalative aerosol	ATE	0,5 mg/l					
7778-77-0	Potassium dihydrogen p	hosphate						
	dermal	LD50 mg/kg	> 4640	Rabbit				
7647-01-0	hydrogen chloride							
	inhalative vapour	ATE	3 mg/l					
	inhalative aerosol	ATE	0,5 mg/l					

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

	product to frot: Ecotoxic:						
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400		Lepomis macrochirus (Bluegill)		
	Acute crustacea toxicity	EC50 mg/l	>10000		Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(6600 mg/l)				

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
67-56-1	methanol			
	OECD 301D/ EEC 92/69/V, C.4-E	99 %	30	
	Readily biodegradable (according to OECD criteria).			

WALDECK

according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 7 of 9

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transp	ort (AD	R/RID)
-------------	---------	--------

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

WALDECK

according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 8 of 9

ENVIRONMENTALLY HAZARDOUS: 1

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 3,5 % 2004/42/EC (VOC): 7 %

Additional information

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 2 - water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.
H371 May cause damage to organs.



according to Regulation (EC) No 1907/2006

Formaldehyde-solution (3,5%, pH 3,5) buffered, with 3,5% Methanol

Revision date: 13.04.2017 Product code: F135 Page 9 of 9

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)