

according to Regulation (EC) No 1907/2006

### Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Methyl violet solution, acetic acid with Phenol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG
Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

**1.4. Emergency telephone** +49(0)180/2247662

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Germ cell mutagenicity: Muta. 2

Hazard Statements:

Causes severe skin burns and eye damage. Suspected of causing genetic defects.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Hazardous components which must be listed on the label

Acetic acid 100 %

phenol

Signal word: Danger

Pictograms:





#### **Hazard statements**

H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to Regulation (EC) No 1907/2006

### Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 2 of 10

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

# P310 **2.3. Other hazards**

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]	•		
64-19-7	Acetic acid 100 %				
	200-580-7				
	Flam. Liq. 3, Skin Corr. 1A; H226 H314				
108-95-2	phenol				
	203-632-7	604-001-00-2			
	Muta. 2, Acute Tox. 3, Acute Tox. 3 H301 H373 ** H314	r. 1B; H341 H331 H311			
8004-87-3	Methyl violet			< 1 %	
	208-953-6				
	Carc. 2, Acute Tox. 4, Aquatic Acute 1 (M-Factor = 10); H351 H302 H400				

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air. Medical treatment necessary.

### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**



according to Regulation (EC) No 1907/2006

### Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 3 of 10

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Hazardous combustion products

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### Advice on storage compatibility

No special measures are necessary.

### 7.3. Specific end use(s)

Use as laboratory reagent

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 4 of 10

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	EU
		15	37		STEL (15 min)	EU
108-95-2	Phenol	2	7.8		TWA (8 h)	WEL
		4	16		STEL (15 min)	WEL

### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Suitable eye protection: goggles.

### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: violet
Odour: Acetic acid

Test method

pH-Value (at 20 °C): 2,5

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

118 °C

Flash point:

not determined

not determined

**Flammability** 

Solid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

	Methyl violet solution, acetic acid with Phenol					
Print date: 13.10.2015	Product code: M78	Page 5 of 10				
Lower explosion limits:	ca. 4 vol. %					
Upper explosion limits:	ca. 17 vol. %					
Ignition temperature:	485 °C					
Auto-ignition temperature						
Solid: Gas:	not applicable not applicable					
Decomposition temperature:	not determined					
Oxidizing properties  Not oxidizing.						
Vapour pressure: (at 20 °C)	16 hPa					
Vapour pressure: (at 50 °C)	77 hPa					
Density:	not determined					
Water solubility:	easily soluble					
Solubility in other solvents not determined						
Partition coefficient:	not determined					
Vapour density:	not determined					
Evaporation rate:	not determined					
9.2. Other information						
Solid content:	not determined					

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 6 of 10

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
64-19-7	Acetic acid 100 %					
	oral	LD50	3310 mg/kg	Rat	GESTIS	
108-95-2	phenol					
	oral	LD50	317 mg/kg	Rat		
	dermal	LD50	660 mg/kg	Rat	OECD 402	
	inhalative vapour	ATE	3 mg/l			
	inhalative (4 h) aerosol	LC50	0,316 mg/l	Rat		
8004-87-3	Methyl violet					
	oral	LD50	413 mg/kg	Rat	GESTIS	

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (phenol)

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source		
64-19-7	Acetic acid 100 %							
	Acute fish toxicity	LC50	88 mg/l	96 h	Pimephales promelas (fathead minnow)	GESTIS		
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al		
108-95-2	phenol							
	Acute fish toxicity	LC50	5,0 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50	229 mg/l	72 h		GESTIS		
	Fish toxicity	NOEC	4 mg/l	14 d	Poecilia reticulata (Guppy)	OECD 204		
	Acute bacteria toxicity	(766 mg	/I)					
8004-87-3	Methyl violet							
	Acute fish toxicity	LC50	0,047 mg/l	96 h	Pimephales promelas (fathead minnow)	GESTIS		



according to Regulation (EC) No 1907/2006

### Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 7 of 10

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	:	d	Source
	Evaluation				•
108-95-2	phenol				
	Persistence and degradability	85 %			OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F
	Readily biodegradable (according to OECD criteria).	-			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	Acetic acid 100 %	-0,17
108-95-2	phenol	1,47

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (enth. Essigsäure und Phenol)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Classification code: C9
Special Provisions: 274
Limited quantity: 1 L



according to Regulation (EC) No 1907/2006

Metnyi violet solution	, acetic acid with Phen	OI

Print date: 13.10.2015 Product code: M78 Page 8 of 10

Excepted quantity: E2
Transport category: 2
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (enth. Essigsäure und Phenol)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Classification code: C9
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (cont. Acetic acid and Phenol)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-A, S-B

Air transport (ICAO)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (cont. Acetic acid and Phenol)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

0.5 L

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L



according to Regulation (EC) No 1907/2006

### Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 9 of 10

#### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2010/75/EU (VOC): 31,8 % 2004/42/EC (VOC): 31,8 %

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information** 

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 2 - water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No 1907/2006

# Methyl violet solution, acetic acid with Phenol

Print date: 13.10.2015 Product code: M78 Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)