

according to Regulation (EC) No 1907/2006

# Sodium hydroxide standard solution 0,33 mol/l

Print date: 15.03.2016 Product code: N28 Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Sodium hydroxide standard solution 0,33 mol/l

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent

## 1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG
Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

**1.4. Emergency telephone** +49(0)180/2247662

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

#### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Sodium hydroxide pellets

Signal word: Danger

Pictograms:



# **Hazard statements**

H314 Causes severe skin burns and eye damage.

# **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P363 Wash contaminated clothing before reuse.



according to Regulation (EC) No 1907/2006

Sodium hydroxide standard solution 0,33 mol/l					
Print date: 15.03.2016	Product code: N28	Page 2 of 9			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P310	Immediately call a POISON CENTER/doctor.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P310	Immediately call a POISON CENTER/doctor.				

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1310-73-2	Sodium hydroxide pellets			1 - < 5 %
	215-185-5			
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**



according to Regulation (EC) No 1907/2006

# Sodium hydroxide standard solution 0,33 mol/l

Print date: 15.03.2016 Product code: N28 Page 3 of 9

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Hazardous combustion products

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

No special environmental measures are necessary. Clean contaminated objects and areas thoroughly observing environmental regulations.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Keep/Store only in original container.

# Advice on storage compatibility

No special measures are necessary.

#### 7.3. Specific end use(s)

Use as laboratory reagent

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Sodium hydroxide standard solution 0,33 mol/l

Print date: 15.03.2016 Product code: N28 Page 4 of 9

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

#### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink

#### Eye/face protection

Suitable eye protection: goggles.

# **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

Test method

pH-Value (at 20 °C): 13,5

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Initial boiling point and boiling range:
Initial boiling point and boiling range:
In the determined on the determined on the determined on the determined of the determined

Flammability

Solid: not applicable



according to Regulation (EC) No 1907/2006

according to regulation (EO) no 1307/2000						
Sodium hydroxide standard solution 0,33 mol/l						
Print date: 15.03.2016	Product code: N28	Page 5 of 9				
Gas:	not applicable					
Lower explosion limits:	not determined					
Upper explosion limits:	not determined					
Auto-ignition temperature Solid: Gas:	not applicable not applicable					
Decomposition temperature:	not determined					
Oxidizing properties  Not oxidizing.						
Vapour pressure:	not determined					
Density (at 20 °C):	1,01 g/cm³					
Water solubility: (at 20 °C)	easily soluble					
Solubility in other solvents not determined						
Partition coefficient:	not determined					
Vapour density:	not determined					
Evaporation rate:	not determined					
.2. Other information						

not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Solid content:

Possibility of hazardous reactions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxide, Oxidising agent.

## 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxide.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

# Sodium hydroxide standard solution 0,33 mol/l

Print date: 15.03.2016 Product code: N28 Page 6 of 9

#### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
1310-73-2	Sodium hydroxide pellets				
	oral	LD50	1350 mg/kg	Rat	(IUCLID)

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN 1824

**14.2. UN proper shipping name:** SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code:



according to Regulation (EC) No 1907/2006

Sodium	hydroxide standard solution 0,33 mol/l	
--------	--	--

Print date: 15.03.2016 Product code: N28 Page 7 of 9

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

**14.1. UN number:** UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C5
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO)

**14.1. UN number:** UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L



according to Regulation (EC) No 1907/2006

# Sodium hydroxide standard solution 0,33 mol/l

Print date: 15.03.2016 Product code: N28 Page 8 of 9

IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

## 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

## Additional information

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): - - not water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No 1907/2006

# Sodium hydroxide standard solution 0,33 mol/l

Print date: 15.03.2016 Product code: N28 Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)