

according to Regulation (EC) No 1907/2006

# Nitric acid p.a. (4 mol/l)

Revision date: 02.09.2020 Product code: S53 Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Nitric acid p.a. (4 mol/l)

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent

# 1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG
Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)2534/970212 Telefax: +49(0)2534/970195

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

labor1@waldeck-ms.de +49(0)2534/970212

1.4. Emergency telephone

number:

gency telephone

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

**Hazard Statements:** 

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Nitric acid

Signal word: Danger

Pictograms:



#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

## **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.



according to Regulation (EC) No 1907/2006

Nitric acid p.a. (4 mol/l)

Revision date: 02.09.2020 Product code: S53 Page 2 of 9

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

P310

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	GHS Classification			
7697-37-2	Nitric acid			15 - < 20 %
	231-714-2 007-004-00-1			
	Ox. Liq. 2, Skin Corr. 1A; H272 H314 EUH071			

Full text of H and EUH statements: see section 16.

## Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
7697-37-2	231-714-2	Nitric acid	
	Ox. Liq. 2; H272: >= 99 - 100 Ox. Liq. 3; H272: >= 65 - < 99 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20		

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

Provide fresh air. Medical treatment necessary.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

# Nitric acid p.a. (4 mol/l)

Revision date: 02.09.2020 Product code: S53 Page 3 of 9

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Hazardous combustion products

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

storage temperature: at room temperature

# 7.3. Specific end use(s)

Use as laboratory reagent

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

	Nitric acid p.a. (4 mol/l)	
Revision date: 02.09.2020	Product code: S53	Page 4 of 9

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

#### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: stinging

pH-Value (at 20 °C): 0,9999999

Changes in the physical state

Melting point: -32 °C
Initial boiling point and boiling range: 121,8 °C
Flash point: not determined

Flammability

Solid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined



according to Regulation (EC) No 1907/2006

Nitric acid p.a. (4 mol/l)

Revision date: 02.09.2020 Product code: S53 Page 5 of 9

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: approx. 9,4 hPa

(at 20 °C)

Density (at 20 °C): 1,39 g/cm³ Water solubility: easily soluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Possibility of hazardous reactions. Corrosive to metals.

Oxidising agent, strong

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent. Alkali (lye), Dichloromethane, Alcohols, Alkali (lye), Ammonia (NH3), Acetic acid, Light metals, Hydrogen sulfide (H2S)

#### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Metal. Keep away from: Base, Oxidizing agent, Peroxides.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

Nitric acid	p.a.	(4 mol/l)
-------------	------	-----------

Revision date: 02.09.2020 Product code: S53 Page 6 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	Nitric acid						
	Acute fish toxicity	LC50	72 mg/l	96 h	Gambusia affinis	IUCLID	

#### 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7697-37-2	Nitric acid	-0,21

#### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

14.3. Transport hazard class(es):

# Land transport (ADR/RID)

14.1. UN number: UN 2031
14.2. UN proper shipping name: NITRIC ACID

14.4. Packing group:
Hazard label:

8



Classification code:

Limited quantity:

Excepted quantity:

Transport category:

Hazard No:

Tunnel restriction code:

C1

L

E

E

80

Tunnel restriction code:

Inland waterways transport (ADN)

14.1. UN number:UN 203114.2. UN proper shipping name:NITRIC ACID



according to Regulation (EC) No 1907/2006

# Nitric acid p.a. (4 mol/l) Revision date: 02.09.2020 Product code: S53 Page 7 of 9

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+5.1



Classification code: CO1
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number:UN 203114.2. UN proper shipping name:NITRIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+5.1



Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-A, S-Q

Segregation group: ammonium compounds

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 203114.2. UN proper shipping name:NITRIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+5.1



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

Forbidden

Forbidden

Excepted quantity:

E0

IATA-packing instructions - Passenger: Forbidden IATA-max. quantity - Passenger: Forbidden IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

# 14.6. Special precautions for user

Warning: strongly corrosive.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



according to Regulation (EC) No 1907/2006

# Nitric acid p.a. (4 mol/l)

Revision date: 02.09.2020 Product code: S53 Page 8 of 9

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: Nitric acid

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,7,8,9,10,14,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

**DNEL: Derived No Effect Level** 

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide



according to Regulation (EC) No 1907/2006

# Nitric acid p.a. (4 mol/l)

Revision date: 02.09.2020 Product code: S53 Page 9 of 9

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

## Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
EUH071 Corrosive to the respiratory tract.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)