

according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hydrochloric Acid-Ethanol (3% HCI)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG
Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)180/2247662 Telefax: +49(0)180/1247662

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

1.4. Emergency telephone +49(0)180/2247662

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Highly flammable liquid and vapour.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrochloric acid

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.



according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)						
Revision date: 02.01.2017	Product code: S88	Page 2 of 10				
P280	Wear protective gloves/protective clothing/eye protection/face protection.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.					
P310	Immediately call a POISON CENTER/doctor.					
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.					
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P370+P378	In case of fire: Use In case of fire, use sand, extinguishing powder or alcohol resistant foam. to extinguish.					
P403+P235	Store in a well-ventilated place. Keep cool.					

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]	•		
64-17-5	ethanol, ethyl alcohol			70 - < 75 %	
	200-578-6				
	Flam. Liq. 2; H225				
67-64-1	acetone; propan-2-one; propanone				
	200-662-2				
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066				
7647-01-0	Hydrochloric acid			1 - < 5 %	
	231-595-7				
	Met. Corr. 1, Skin Corr. 1B, STOT SE 3; H290 H314 H335				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

WALDECK

according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 3 of 10

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep



according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 4 of 10

away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
		1500	3620		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

PNEC values

CAS No	Substance			
Environmental compartment Value				
64-17-5 ethanol, ethyl alcohol				

8.2. Exposure controls









Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

WALDECK

according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 5 of 10

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: Ethanol

Test method

pH-Value (at 20 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

78 °C

Flash point:

21 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Ignition temperature: 400 °C

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density (at 20 °C): 0,9 g/cm³

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Corrosive to metals. Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 6 of 10

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxide, Oxidising agent.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Keep away from: Base, Oxidising agent, Peroxide.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name							
	Exposure route	Dose		Species	Source			
64-17-5	ethanol, ethyl alcohol							
	oral LD50 6200 mg/kg Rat IUCLID							
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS			
67-64-1	acetone; propan-2-one; propanone							
	oral	LD50	5800 mg/kg	Rat				
	dermal	LD50	20000 mg/kg	Rabbit	IUCLID			
	inhalative (4 h) vapour	LC50	76 mg/l	Rat				

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

	The product is not. Ecotoxic.							
CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source		
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol						
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID		
67-64-1	acetone; propan-2-one; propar	acetone; propan-2-one; propanone						
	Acute fish toxicity	LC50	5540 mg/l	96 h	Onchorhynchus mykiss			
	Acute crustacea toxicity	EC50	6100 mg/l	48 h	Daphnia magna			
	Acute bacteria toxicity	(59-67,4	l mg/l)		Activated sludge			

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 7 of 10

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
67-64-1	acetone; propan-2-one; propanone							
	Readily biodegradable (according to OECD criteria).	91 %	28					
	(IUCLID)	-						
	Biochemical oxygen demand (BOD)	1850 mg/g	5					
	•							
	Chemical oyxgen demand (COD)	2070 mg/g						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
67-64-1	acetone; propan-2-one; propanone	-0,24

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, ethyl alcohol,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8



Classification code: FC
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2



according to Regulation (EC) No 1907/2006

Revision date: 02.01.2017 Product code: S88 Page 8 of 10

Transport category: 2
Hazard No: 338
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, ethyl alcohol,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8



Classification code: FC
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, ethyl alcohol,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ethanol, ethyl alcohol,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

0.5 L

Y340

Excepted quantity:

E2

IATA-packing instructions - Passenger: 352
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 363



according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 9 of 10

IATA-max. quantity - Cargo: 5 L

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 77 % (693 g/l) 2004/42/EC (VOC): 77 % (693 g/l)

Additional information

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



according to Regulation (EC) No 1907/2006

Hydrochloric Acid-Ethanol (3% HCI)

Revision date: 02.01.2017 Product code: S88 Page 10 of 10

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)