

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Sulfuric acid solution 3,125 %

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Use as laboratory reagent

**1.3. Details of the supplier of the safety data sheet**

Company name:	Waldeck GmbH & Co KG		
Street:	Havixbecker Str. 62		
Place:	D-48161 Münster		
Post-office box:	410180 D-48065 Münster		
Telephone:	+49(0)180/2247662	Telefax:	+49(0)180/1247662
Responsible Department:	Labor		
	Mo. – Do.: 08.00 – 17.00 Uhr, Fr.: 08.00 – 15.00 Uhr		
<b>1.4. Emergency telephone number:</b>	+49(0)180/2247662		

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard Statements:

May be corrosive to metals.

Causes skin irritation.

Causes serious eye irritation.

**2.2. Label elements****Regulation (EC) No. 1272/2008**

Signal word: Warning

Pictograms:

**Hazard statements**

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

**Precautionary statements**

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

No information available.

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 2 of 8

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7664-93-9	Sulphuric acid 95-97 %Sulphuric acid ... %			1 - < 5 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

Provide fresh air.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Hazardous combustion products

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 3 of 8

**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**
**Advice on safe handling**

No special measures are necessary.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

Keep container tightly closed.

**Advice on storage compatibility**

No special measures are necessary.

**Further information on storage conditions**

storage temperature: at room temperature

**7.3. Specific end use(s)**

Use as laboratory reagent

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

**8.2. Exposure controls**

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 4 of 8

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless
Odour:	stinging

**Test method**

pH-Value (at 20 °C):	~1,0
----------------------	------

**Changes in the physical state**

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not determined

**Flammability**

Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

**Auto-ignition temperature**

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

**Oxidizing properties**

Not oxidizing.	
Vapour pressure:	not determined
Density (at 20 °C):	1,0 g/cm³
Water solubility: (at 20 °C)	completely miscible

**Solubility in other solvents**

not determined	
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 5 of 8

Solid content:

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals. Possibility of hazardous reactions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

none

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

**Irritation and corrosivity**

Causes skin irritation.

Causes serious eye irritation.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

The product is not: Ecotoxic.

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 6 of 8

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number:**

UN 3264

**14.2. UN proper shipping name:**CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(SCHWEFELSÄURELÖSUNG)**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

III

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

**Inland waterways transport (ADN)****14.1. UN number:**

UN 3264

**14.2. UN proper shipping name:**CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(SCHWEFELSÄURELÖSUNG)**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

III

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

**Marine transport (IMDG)**


**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 7 of 8


**14.1. UN number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID SOLUTION)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: 223, 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID SOLUTION)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
Passenger LQ: Y841  
Excepted quantity: E1

IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information****Additional information**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

**National regulatory information**

**Sulfuric acid solution 3,125 %**

Revision date: 10.01.2017

Product code: SCH31

Page 8 of 8

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*