

according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Waroklar - water bath stabilizer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent

1.3. Details of the supplier of the safety data sheet

Company name: Waldeck GmbH & Co KG
Street: Havixbecker Str. 62
Place: D-48161 Münster

Post-office box: 410180

D-48065 Münster

Telephone: +49(0)2534/9700 Telefax: +49(0)2534/970258

Contact person: Dr. Wolfgang Schräder Telephone: -212

Responsible Department: Labor

Mo. - Do.: 08.00 - 17.00 Uhr, Fr.: 08.00 - 15.00 Uhr

labor1@waldeck-ms.de

1.4. Emergency telephone

Informationszentrale gegen Vergiftungen Bonn, Tel.: +49 (0) 228 19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:





Hazard statements

H226 Flammable liquid and vapour. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer					
Revision date: 02.03.2021	Product code: WARO	Page 2 of 10			
P241	Use explosion-proof electrical/ventilating/lighting equipment.				
P243	Take action to prevent static discharges.				
P273	Avoid release to the environment.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	er			
P352	Wash with plenty of water.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P337+P313	If eye irritation persists: Get medical advice/attention.				
P403+P235	Store in a well-ventilated place. Keep cool.				

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
64-17-5	ethanol; ethyl alcohol			5 - < 10 %		
	200-578-6	603-002-00-5				
	Flam. Liq. 2; H225					
	Arquad MCB-50					
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410					
126-73-8	tributyl phosphate					
	204-800-2	015-014-00-2				
	Carc. 2, Acute Tox. 4, SI	kin Irrit. 2; H351 H302 H315	·			
67-64-1	acetone; propan-2-one; propanone					
	200-662-2	606-001-00-8				
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc	Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol; ethyl alcohol	5 - < 10 %
	inhalation: LC	550 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg	
		Arquad MCB-50	1 - < 5 %
	oral: LD50 = :	>300-2000 mg/kg	
126-73-8	204-800-2	tributyl phosphate	< 1 %
	dermal: LD50	= 3100 mg/kg; oral: LD50 = 1550 mg/kg	
67-64-1	200-662-2	acetone; propan-2-one; propanone	< 1 %
	inhalation: LC	550 = 76 mg/l (vapours); dermal: LD50 = 20000 mg/kg; oral: LD50 = 5800 mg/kg	

SECTION 4: First aid measures



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 3 of 10

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

storage temperature: at room temperature

7.3. Specific end use(s)

Use as laboratory reagent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
		1500	3620	ĺ	STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
126-73-8	Tributyl phosphate, all isomers	-	5		TWA (8 h)	WEL
		-	5		STEL (15 min)	WEL

8.2. Exposure controls







Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 5 of 10

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: blue

Odour: characteristic

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Boiling point or initial boiling point and 78-100 °C

boiling range:

Flash point: 40,5 °C

Flammability

Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: 59 hPa

(at 20 °C)

Density (at 20 °C): 0,96 g/cm³
Water solubility: easily soluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Relative vapour density:

not determined

rot determined

not determined

not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 6 of 10

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name								
	Exposure route	Dose		Species	Source	Method				
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol								
	oral	LD50 mg/kg	6200	Rat	IUCLID					
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS					
	Arquad MCB-50									
	oral	LD50 2000 mg/kg	>300-	Rat						
126-73-8	tributyl phosphate									
	oral	LD50 mg/kg	1550	Rat						
	dermal	LD50 mg/kg	3100	Rabbit						
67-64-1	acetone; propan-2-one; propanone									
	oral	LD50 mg/kg	5800	Rat	RTECS					
	dermal	LD50 mg/kg	20000	Rabbit	IUCLID					
	inhalation (4 h) vapour	LC50	76 mg/l	Rat						

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 7 of 10

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No Chemical name									
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
64-17-5	ethanol; ethyl alcohol								
	Acute crustacea toxicity	EC50 14221 mg/l	9268 -	48 h	Daphnia magna	IUCLID			
	Arquad MCB-50								
	Acute fish toxicity	LC50 mg/l	>0,1-1	96 h	Fisch				
	Acute crustacea toxicity	EC50 0,1 mg/l	>0,01-		Daphnia pulex (water flea)				
126-73-8	tributyl phosphate								
	Acute fish toxicity	LC50	4,5 mg/l		Oryzias latipes (Ricefish)				
	Acute crustacea toxicity	EC50 mg/l	3,65		Daphnia magna (Big water flea)				
67-64-1	64-1 acetone; propan-2-one; propanone								
	Acute fish toxicity	LC50 mg/l	5540		Onchorhynchus mykiss				
	Acute crustacea toxicity	EC50 mg/l	6100	48 h	Daphnia magna				

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31
126-73-8	tributyl phosphate	4
67-64-1	acetone; propan-2-one; propanone	-0,24

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 8 of 10

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 2920

14.2. UN proper shipping name: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Quaternäre

Ammoniumverbindung, Benzyl-C12-16-alkyldimethylchlorid, Ethanol)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3



Classification code: CF1
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 83
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 2920

14.2. UN proper shipping name: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Quaternäre

Ammoniumverbindung, Benzyl-C12-16-alkyldimethylchlorid, Ethanol)

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3



Classification code: CF1
Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 2920

14.2. UN proper shipping name: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Quaternary ammonium

compounds, benzyl-C12-16-alkyldimethyl, chlorides, ethanol

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3



Special Provisions: 274
Limited quantity: 1 L



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 9 of 10

Excepted quantity: E2
EmS: F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2920

14.2. UN proper shipping name: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Quaternary ammonium

compounds, benzyl-C12-16-alkyldimethyl, chlorides, ethanol

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+3



Limited quantity Passenger: 0.5 L
Passenger LQ: Y840
Excepted quantity: E2

IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

14.6. Special precautions for user

Warning: Combustible liquid. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 9,8 % (94,08 g/l) 2004/42/EC (VOC): 9,8 % (94,08 g/l)

Additional information

To follow: 850/2004/EC, 1107/2009/EC, 649/2012/ECObserve employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)



according to Regulation (EC) No 1907/2006

Waroklar - water bath stabilizer

Revision date: 02.03.2021 Product code: WARO Page 10 of 10

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)